We claim:

A 3-heterocyclyl-substituted benzoic acid derivative of the
 formula I

where:

X is oxygen or NR9,

R1 is a heterocyclic radical of the formulae II-A to II-H,

20 25 R¹⁷ R^{12} (II-C) (II-B) (II-A) R¹⁸ R^{24} 30 R²⁵ R²³ R^{20} (II-D) (II-E) (II-F) 35

10

30

45

 \mathbb{R}^2 is hydrogen or halogen,

 \mathbb{R}^3 is halogen or cyano,

15 R^4 , R^5 independently of one another are hydrogen, C_1-C_4 -alkyl or C_1-C_4 -alkoxy, or R^4 and R^5 together are a group = CH_2 ,

> R6 is hydrogen, C_1-C_4 -alkyl or C_1-C_4 -alkoxy,

20 R7, R8 independently of one another are hydrogen, C1-C6-alkyl, C_3-C_6 -alkenyl, C_3-C_6 -alkynyl, C_1-C_4 -haloalkyl, $C_1-C_4-alkoxy-C_1-C_4-alkyl$, $C_1-C_4-alkyl$ thio- $C_1-C_4-alkyl$, C_1-C_4 -alkylsulfinyl- C_1-C_4 -alkyl,

 $C_1-C_4-alkylsulfonyl-C_1-C_4-alkyl$,

25 cyano- C_1 - C_4 -alkyl, C_1 - C_4 -alkoxycarbonyl- C_1 - C_4 -alkyl, amino-C₁-C₄-alkyl, C₁-C₄-alkylamino-C₁-C₄-alkyl, $di(C_1-C_4-alkyl)$ amino- $C_1-C_4-alkyl$, aminocarbonyl-C₁-C₄-alkyl,

 $(C_1-C_4-alkylamino)$ carbonyl $-C_1-C_4-alkyl$, $di(C_1-C_4-alkyl)$ aminocarbonyl- $C_1-C_4-alkyl$,

phenyl or C_1 - C_4 -alkylphenyl or

- R7 and R8 together with the nitrogen atom to which they are attached form a saturated or unsaturated 3-, 4-, 5-, 6-35 or 7-membered nitrogen heterocycle which may optionally contain one or two further heteroatoms selected from the group consisting of nitrogen, sulfur and oxygen as ring members, which may contain 1 or 2 carbonyl and/or thiocarbonyl groups as ring members and/or which may be 40 substituted by one, two or three substituents selected from the group consisting of C1-C4-alkyl and halogen,
 - R9 is hydrogen, hydroxyl, C_1-C_4 -alkyl, C_1-C_4 -alkoxy, phenyl, phenyl- C_1 - C_4 -alkyl, C_3 - C_6 -alkenyl or C_3 - C_6 -alkynyl,

 R^{10} is hydrogen, C₁-C₄-alkyl or amino,

 R^{11} is C_1-C_4 -alkyl or C_1-C_4 -haloalkyl,

```
69
       R^{12} is hydrogen or C_1-C_4-alkyl,
        R<sup>13</sup>, R<sup>13</sup>' independently of one another are hydrogen or
             C_1-C_4-alkyl,
5
        R<sup>14</sup> is halogen,
        R^{15} is hydrogen or C_1-C_4-alkyl,
        R^{16} is C_1-C_4-haloalkyl, C_1-C_4-alkylthio,
             C_1-C_4-alkylsulfonyl or C_1-C_4-alkylsulfonyloxy,
        R^{17} is hydrogen or C_1-C_4-alkyl,
10
        R^{18} is hydrogen, C_1-C_4-alkyl or amino,
        R^{19} is C_1-C_4-haloalkyl, C_1-C_4-alkylthio
             or C_1-C_4-alkylsulfonyl,
15
        R^{20} is hydrogen or C_1-C_4-alkyl,
        R^{21} is hydrogen, halogen or C_1-C_4-alkyl,
        R^{22} is C_1-C_4-alkyl, C_1-C_4-haloalkyl, C_1-C_4-haloalkoxy,
             C_1-C_4-alkylthio or C_1-C_4-alkylsulfonyl,
20
        R^{23}
            is hydrogen or C_1-C_4-alkyl,
        or
        R^{22} and R^{23} together with the atoms to which they are attached
             form a 5-, 6- or 7-membered saturated or unsaturated ring
             which may contain a heteroatom selected from the group
25
             consisting of oxygen and nitrogen as a ring-forming atom
             and/or which may be substituted by one, two or three
             radicals selected from the group consisting of
             C<sub>1</sub>-C<sub>4</sub>-alkyl and halogen,
30
        R^{24} is hydrogen, C_1-C_4-alkyl or C_1-C_4-haloalkyl,
        R^{25} is C_1-C_4-alkyl or C_1-C_4-haloalkyl,
        or
        R^{24} and R^{25} together with the atoms to which they are attached
             form a 5-, 6- or 7-membered saturated or unsaturated ring
35
             which optionally contains an oxygen atom as ring-forming
             atom and/or which may be substituted by one, two or three
             radicals selected from the group consisting of
             C_1-C_4-alkyl and halogen,
40
             is hydrogen, C_1-C_4-alkyl or C_1-C_4-haloalkyl,
        R^{27}
             is hydrogen, C_1-C_4-alkyl or C_1-C_4-haloalkyl,
        or
        {\bf R}^{26} and {\bf R}^{27} together with the atoms to which they are attached
             form a 5-, 6- or 7-membered saturated or unsaturated ring
45
             which optionally contains an oxygen atom as ring-forming
```

atom and/or which may be substituted by one, two or three

radicals selected from the group consisting of C_1-C_4 -alkyl and halogen,

 A^1 , A^2 , A^3 , A^4 are each independently of one another oxygen or sulfur,

and its agriculturally useful salts.

- A benzoic acid derivative as claimed in claim 1 where R² is
 fluorine, chlorine or hydrogen.
 - 3. A benzoic acid derivative as claimed in claim 1 or 2 where R³ is chlorine or cyano.
- 15 4. A benzoic acid derivative as claimed in any of the preceding claims where X is oxygen.
 - 5. A benzoic acid derivative as claimed in any of the preceding claims where R⁶ is hydrogen.

20

6. A benzoic acid derivative as claimed in any of claims 1 to 5 where R^1 is a heterocyclic radical of the formula II-A in which R^{10} is C_1-C_4 -alkyl or amino, R^{11} is C_1-C_4 -haloalkyl and R^{12} is hydrogen.

25

7. A benzoic acid derivative as claimed in any of claims 1 to 5 where R^1 is a heterocyclic radical of the formula II-B in which R^{13} and R^{13} are each independently of one another C_1 - C_4 -alkyl.

30

- 8. A benzoic acid derivative as claimed in any of claims 1 to 5 where ${\bf R}^1$ is a heterocyclic radical of the formula II-C in which ${\bf R}^{14}$ is fluorine or chlorine, ${\bf R}^{15}$ is hydrogen and ${\bf R}^{16}$ is C_1-C_4 -haloalkyl, C_1-C_4 -alkylsulfonyl or
- 35 C_1-C_4 -alkylsulfonyloxy.
- 9. A benzoic acid derivative as claimed in any of claims 1 to 5 where R^1 is a heterocyclic radical of the formula II-D in which R^{18} is hydrogen, methyl or amino, R^{19} is C_1-C_4 -haloalkyl or C_1-C_4 -alkylsulfonyl and R^{20} is hydrogen.
 - 10. A benzoic acid derivative as claimed in any of claims 1 to 5 where R^1 is a heterocyclic radical of the formula II-E in which R^{21} is halogen or C_1 - C_4 -alkyl, R^{22} is C_1 - C_4 -haloalkyl, C_1 - C_4 -haloalkoxy or C_1 - C_4 -alkylsulfonyl and R^{23} is C_1 - C_4 -alkyl.

- 11. A benzoic acid derivative as claimed in any of claims 1 to 5 where R^1 is a heterocyclic radical of the formula II-F in which R^{24} is hydrogen, methyl, difluoromethyl or trifluoromethyl, R^{25} is methyl or trifluoromethyl or R^{24} together with R^{25} are a chain of the formula $-(CH_2)_4$.
- 12. A benzoic acid derivative as claimed in any of claims 1 to 5 where R^1 is a heterocyclic radical of the formula II-G in which A^1 and A^2 are each oxygen.

10

15

20

- 13. A benzoic acid derivative as claimed in any of claims 1 to 5 where R^1 is a heterocyclic radical of the formula II-H in which R^{26} and R^{27} are each independently of one another C_1-C_4 -alkyl or C_1-C_4 -haloalkyl or R^{26} together with R^{27} are a chain of the formulae $-CH_2-O-(CH_2)_2-$ or $-(CH_2)_4-$.
- 14. A benzoic acid derivative as claimed in any of claims 1 to 13 where
 - R² is hydrogen, chlorine or fluorine,
- R^3 is chlorine or cyano,
 - R6 is hydrogen and
 - X is oxygen.
- 15. A benzoic acid derivative as claimed in any of claims 1 to 14 where R^4 or R^5 is hydrogen and the other radical R^4 or R^5 is C_1-C_4 -alkyl or R^4 , R^5 are each methyl.
- 16. A composition comprising a herbicidally effective amount of at least one 3-heterocyclyl-substituted benzoic acid derivative of the formula I or an agriculturally useful salt of I as claimed in any of claims 1 to 15 and at least one inert liquid and/or solid carrier and, if desired, at least one surfactant.
- 35 17. A composition for the desiccation/defoliation of plants, comprising an amount of at least one 3-heterocyclyl-substituted benzoic acid derivative of the formula I or an agriculturally useful salt of I as claimed in any of claims 1 to 15 which acts as a desiccant/defoliant and at least one inert liquid and/or solid carrier and, if desired, at least one surfactant.
- 18. A method for controlling unwanted vegetation, which comprises allowing a herbicidally effective amount of at least one
 3-heterocyclyl-substituted benzoic acid derivative of the formula I or an agriculturally useful salt of I as claimed in

any of claims 1 to 15 to act on plants, their habitat and/or on seed.

19. A method for the desiccation/defoliation of plants, which comprises allowing an amount which is effective as a desiccant/defoliant of at least one 3-heterocyclyl-substituted benzoic acid derivative of the formula I or an agriculturally useful salt of I as claimed in any of claims 1 to 15 to act on plants.

20. The use of 3-heterocyclyl-substituted benzoic acid derivatives of the formula I or their agriculturally useful salts as claimed in any of claims 1 to 15 as herbicides or for the desiccation/defoliation of plants.